

Message

From: Kimble, Jeffrey [kimble.jeffrey@epa.gov]
Sent: 7/30/2018 12:25:42 PM
To: Dollhopf, Ralph [Dollhopf.Ralph@epa.gov]
Subject: Re: Checking on lab capacity

Region 3

Jeff Kimble, US EPA
Cell # (734) 740-9013

On Jul 30, 2018, at 7:45 AM, Dollhopf, Ralph <Dollhopf.Ralph@epa.gov> wrote:

Which Region is this?

Sent from my iPhone

Begin forwarded message:

From: "Costa, Karen" <Costa.Karen@epa.gov>
Date: July 30, 2018 at 7:22:42 AM EDT
To: "Kimble, Jeffrey" <kimble.jeffrey@epa.gov>, "Costas, Robin" <Costas.Robin@epa.gov>
Cc: "Dollhopf, Ralph" <Dollhopf.Ralph@epa.gov>, "Caporale, Cynthia" <Caporale.Cynthia@epa.gov>, "Gundersen, Jennifer" <Gundersen.Jennifer@epa.gov>, "Forren, John" <Forren.John@epa.gov>
Subject: RE: Checking on lab capacity

Hi Jeff,

I am currently on a detail and not working at the lab. I am forwarding your request to Robin Costas, the Acting Laboratory Branch Chief. She will be able to assist you with this request.

Karen

From: Kimble, Jeffrey
Sent: Saturday, July 28, 2018 5:22 PM
To: Costa, Karen <Costa.Karen@epa.gov>
Cc: Dollhopf, Ralph <Dollhopf.Ralph@epa.gov>
Subject: Checking on lab capacity

Karen, how are you doing.

We have a situation in Region 5 here in Michigan (Parchment Twp in Kalamazoo County) where the water has tested at 1410 ppt for PFOS+PFOA. Do you still have the ability to run method 537 V1.1 and does the lab have some capacity in the next few weeks for running some samples if we send them?

The State of Michigan has not asked yet but we don't want to wait until they are in real need before we find out if we could support them.

Just wanted to get a sense of EPA ability to help out on short notice, thanks.

Let me know –

Thank you,

Jeff Kimble, EPA OSC
Ph (734) 692-7688
Cell # (734) 740-9013
9311 Groh Road, Grosse Ile, MI 48138

Not for Public Distribution